



 Your Configuration:


 Scan the QR code to load your configuration.

 KDDTC7V

PAGE 2 / 9







STANDARD EQUIPMENT

	Motorisation / Drive / Gearing / Load increase				
~	203022-99	FIAT Ducato 3.500 kg***; 2.2 l 140 Multijet; front-wheel drive; Euro 6d-Final (103 kW/140 HP); 6-speed manual gearbox			
	Chassis / Climate Control / Multimedia				
\checkmark	202847	Rear/front axle stabiliser			
 	202848	Disk brakes			
\checkmark	202844	Left-hand drive			
 	203794-01	Chassis in special paint: Campovolo Grey			
 	203720	Spoiler lips (skid-plate) black			
 	202139	Headlights in black frame			
 	203718	Radiator grille painted black, with shiny black bar incl. chrome-plated trim elements			
 	201788	Front bumper painted in chassis colour			
 	201815	Alloy rims for standard tyres			
		Note: For EU tyre labels, see appendix "EU Tyre Labels".			
\checkmark	200176	Air conditioning in cab, manual including pollen filter and outside temperature display			
 	201862	Driver airbag			
 	200501	Passenger airbag			
 	201952-01	Driver's seat height adjustment			
 	201952	Passenger's seat height adjustment			
 	201519	Steering wheel and gear knob in leather			
\checkmark	202478	Steering wheel with controls for radio			
 	203730	Instrument panel in Techno design (aluminium)			
 	222884	Cupholder in centre console			
 	200975-01	Original FIAT Captainchair seats with armrests			
 	200633	Cab seats swivelling			
 	202133	Seat box cladding for cab seats			






PAGE 3 / 9




















Your Configuration: Scan the QR code to load your configuration.

PAGE 5 / 9



Further Information: https://www.knaus.com/en-uk



 Image: A start of the start of	552941-11	Ceiling cabinet hatch with handles, rocker arms and soft-close function	
Living / Sleeping / Upholstery and Fabrics			
~	554391	Einteiliger Rückenpolster für Dinettensitzbank und großer Tisch	
 ✓ 	552348-01	Dinette seat extension through side pull-out (also while driving)	
~	552130-01	Floating dinette table, swivelling	
~	552247	ISOFIX system (2 child seats)	
~	552945-07	2-layer cold foam mattresses with breathable and durable mattress cover	
~	552949-02	Rear lateral beds with full-size slatted frame	
~	552949-03	Slatted frames incl. mattresses, stackable and removable	
 	552955-03	Conversion of seating group to guest bed	
		Note: The emergency bed function should only be used in exceptional cases. As an additional sleeping place in the seating group, we recommend the optior "transverse guest bed with additional cushion".	
~	552335-62	Upholstery selection - Special upholstery: "60 YEARS"	
~	550660-07	COZY HOME Package "60 YEARS" consisting of: 2 decorative pillows, 2 sleeping pillows, 2 blankets, table runner	
~	201074-01	Floor mat set in driver's cab in "60 YEARS" design	
	Kitchen / Bathroo	im	
~	402985-08	2-burner cooker with glass cover, separate sink with cover in surface decor of the worktop	
~	303501	Gas control units centrally arranged	
~	402996	Kitchen worktop with foldable extension	
~	453504	WC disposal tunnel with full cladding	
~	453505-02	Toilet / shower room with washstand, cassette toilet, sliding mirror and storage compartments	
~	453503-04	Cassette toilet Thetford swivelling	
	Heating / Air cond	ditioning / Gas Supply / Water Supply	
~	302975	Gas hose version CH/FR	
~	301956	TRUMA MonoControl CS (incl. gas filter)	
~	352059	TRUMA CP-Plus digital heating control panel	
~	450740	Insulating hood waste water tank, heatable	
~	453510-01	Water supply with submerged pump	







/	453510-03	Hot water supply with single-lever mixer tap	
~	453510-06	Water pipes laid with circulating air hose	
/	452718-01	"bluuwater" water filter system	
	Electronics / Multimedia / Safety		
~	253524	Switch / disconnect automatic for starter and body battery	
~	253533	Electr. automatic charger for body / vehicle battery	
~	253522	CEE external socket for 230 V, with circuit breaker	
~	253529	Ground fault circuit interrupter	
~	253526-05	Bord-Control panel with digital display for power/water/waste water/battery	
~	253534-04	LED lighting living area (exception: entrance light + luggage compartment)	
~	252723	Charging booster for body battery	
~	252615	Lighting control	
~	252623	Ambient lighting: plinth light (night light); RGB light rear ceiling; with separate bath: RGB light in canopy; with classic bath: LED-band side wall and ceiling	
✓	253518	230 V SCHUKO sockets "France" version	
~	250072-04	230 V SCHUKO socket, additional 1 pc. in the rear	
~	250072-05	230 V SCHUKO socket, additional 1 pc. in front left-hand ceiling cabinet	
~	250940-04	12 V power socket (1 pc.)	
~	252625-01	Reading lamp gooseneck in seating area incl. USB socket	
	Awning / Awning A	ccessories	
~]	501646-03	Awning 375 x 250 cm, anthracite	
		Note: Awning size differs for technical reasons when choosing the pop-up roof	
	Miscellaneous		
~	953542-04	Operating instruction (French)	
	Accessories		
~	953543	10-year leak-proofness guarantee	
~]	952823	MediKit voucher	
-		Note: A voucher to redeem the medicine set is enclosed with the vehicle. The medicine set contains medicines that must be purchased from a pharmacy. voucher can therefore only be redeemed at the responsible MediKit mail-order pharmacy at www.medikit.shop You can also obtain further informal about your MediKit at www.medikit.shop.	



Further Information: https://www.knaus.com/en-uk







Soap and washing-up liquid dispenser

YOUR SELECTED OPTIONAL EQUIPMENT

		Weight	
Packages			
210022	Care-Drive Package - Co-Driver	+10 kg	6.64
203741	Safety Pack Co-Driver FIAT	+1 kg	
202150	Tyre pressure sensors	+1 kg	
203729	Electric parking brake	-9 kg	
203725	Virtual cockpit		
202711	9-speed torque converter automatic transmission	+28 kg	
Doors			
103745	Electric closing aid (soft-close sliding door)	+2 kg	92
Windows / Ro	of Hoods / Ventilation		
103577	KNAUS pop-up roof, white	+162 kg	5.79
	Note: Only available in roof colour: White or lava grey If this option is selected, the vehicle height increases by approx. 20 cm Please note that when selecting the pop-up roof and the option "transverse guest bed with additional cushion", simultaneous everyday use is not possible.		
Kitchen / Bath	room		
403923	Compressor refrigerator 138 ltr. (incl. 11.6 ltr. freezer compartment), with night and silent mode	+14 kg	41
	Note: Wardrobe omitted		
452258	Separate bathroom with shower cabin: Shower tray with at least 3 drains (omission of shower curtain) and bi-functional washbasin Position 1: Hand washbasin Position 2: Ergonomic washstand	+7 kg	1.36
552964-22	Wardrobe by separate bathroom		
Heating / Air o	onditioning / Gas Supply / Water Supply		
352230	Heating TRUMA Combi 6 D + E	+17 kg	2.38
JMMARY C	OF YOUR TOTAL COST		
		Weight	
Total Price & W	eight of Standard Equipment	2.915 kg	70.13

Total Price & Weight of Selected Optional Equipment197 kg17.534 €Total Price & Weight of Your Configuration3.112 kg87.668 €
incl. 20% sales tax.



Your Configuration: Scan the QR code to load your configuration. KDDTC7V


PAGE 8 / 9





Appendix "EU Tyre Labels":

201815 - Alloy rims for standard tyres 202132 - 16" tyres



EU information sheet (EU-Server) >> Changes and errors excepted.



Your Configuration:
 Scan the QR code to load your configuration.
 KDDTC7V





Important technical and legal information regarding vehicle configuration and weight-related data

In road traffic, each vehicle is only approved for a certain maximum weight. This maximum weight must not be exceeded during operation. Therefore, particular attention must be paid to the technical and legal requirements for the weight of your vehicle when configuring and selecting optional equipment ('packages', 'features' and 'options') from our factory-fitted range when configuring your vehicle.

The EU Commission's Implementing Regulation (EU) 2021/535 dated 31 March 2021 (up to and including 06/2022; EU Commission Regulation (EU) No. 1230/2012 dated 31 March 2021) sets out the legal requirements for the weight of your vehicle. In order provide information that is as transparent and comprehensive as possible about the weight-related data specified in the configurator, the following explanations and information provided by Knaus Tabbert AG are based on the requirements of this Regulation, Please read the following explanations and information regarding weight-related data carefully before configuring ordering your vehicle. Our retail partners will also be happy to help you select and configure your vehicle.

1. The technically permissible maximum mass of the vehicle

The 'technically permissible maximum mass' of the vehicle is shown in Part I of the registration certificate (under point F.1.) and refers to the maximum mass that your vehicle may weigh when loaded (e.g. 3,500 kg) as specified by the manufacturer. This may not be exceeded during any journey. Exceeding the technically permissible maximum mass during operation is punishable by fines in many European countries. In Germany, exceeding the technically permissible maximum mass during operation can constitute an administrative offence punishable by a fine. We therefore recommend that you weigh your vehicle prior to every journey and check that it complies with the technically permissible maximum mass. Compliance with the technically permissible maximum mass is your responsibility.

The technically permissible maximum mass for each layout is shown in the technical data.

2. The mass of the vehicle in running order

The 'mass in running order' refers to the mass of the vehicle including the body and standard factory equipment (or 'basic equipment') including the standard fuel tank filled to 90% of its capacity, as well as operating fluids such as lubricants, soils and coolamts, tools and puncture repair kit, plus the driver mass, which is calculated as a fixed weight of 75 kg by law.

For each layout, the mass in running order is shown in the technical data.

The following items are included in the mass in running order.

- the unladen weight of the vehicle, including the body and operating fluids such as lubricants, oils and coolants, tools and puncture repair kit; the standard factory equipment, i.e. the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment lines. equipment level
- 100% filled fresh water tank; in running order (the capacity of the fresh water tank is limited to 10, 20 or 40 litres in running order depending on the vehicle model) and a 100% filled aluminium gas cylinder weighing 16
- the 90% filled standard fuel tank including fuel; the driver, whose weight is calculated as a fixed 75 kg.

Please note that the mass in running order specified in the technical data is a calculated nominal value that is subject to production-related tolerances of up to $\pm 5\%$. These legally permissible tolerances can have a direct impact on the actual mass of your vehicle and therefore also the load capacity or remaining pay-mass. So you should always take these tolerances into account when configuring your vehicle.

7. The maximum optional equipment mass

To ensure compliance with the legally prescribed minimum pay-mass, the 'maximum optional equipment mass' is specified by the manufacturer for each layout. This is the mass available for selecting optional factory-fitted equipment ('packages', 'features' and 'options') while complying with the minimum pay-mass required by law.

Knaus Tabbert AG calculates the maximum optional equipment mass by subtracting the mass in running order, the passenger mass and the minimum pay-mass from the technically permissible maximum mass.

However, the mass in running order is a calculated nominal value that may be subject to production-related tolerances of up to \pm 5% (see point 2.). The occurrence of these production-related tolerances could result in the minimum pay-mass not actually being observed if the calculated optional equipment mass is used.

To prevent such a reduction in the minimum pay-mass, Knaus Tabbert AG therefore takes account of the permissible weight deviations that experience has shown may occur for each layout when determining the maximum optional equipment mass.

In addition, equipment features of national variants/special models that are not part of the standard equipment are also taken into account when calculating the maximum optional equipment mass.

If due to the selection of optional equipment, the maximum optional equipment mass is exceeded, you can generally (depending on the layout) select an increase in vehicle load capacity, reduce the permitted number of seats when driving and/or deselect optional equipment in the configurator in order to continue with the configuration. If you fail to do this, the configuration and therefore the order process for your vehicle cannot be continued.

8. Legally permissible tolerances in the calculation of weight data

The mass in running order figures given in the technical data are calculated nominal values that are subject The mass in running order ngives given in the technical data are calculated nominal values that are subject to production-related tolerances of up to $\pm 5\%$. These production-related tolerances of up to $\pm 5\%$ are legally permissible and result from the use of natural materials such as wood, as well as the manufacturing processes used by some suppliers. Despite optimised production processes, weight fluctuations resulting from the materials used cannot be ruled out. As these legally permissible tolerances have a direct impact on the actual mass of your vehicle and therefore also the possible vehicle load capacity or remaining pay-mass, you should always take these into account when configuring your vehicle.

Example:

Example:

Mass in running order according to technical data:	2,968 kg
Legally permissible tolerance of \pm 5%:	148 kg
Legally permissible range of mass in running order	2,820 to
	3,116 kg

Based on the above example, if you order the vehicle with optional equipment with a total weight of 150 kg, the nominal value of the mass in running order shown in the technical data results in a pay-mass of 180 kg. However, the actual load capacity may deviate from this value because of the legally permissible tolerances. If the mass in running order of your vehicle is about 1% higher than the nominal value stated in the technical data, the load capacity is reduced from 180 kg to 151 kg:

3,500 kg - 2,998 kg	Technically permissible maximum mass Actual weight of the vehicle in running order (+ 1% compared to the mass in running order of 2,968 kg stated in the technical data)
- 3x75 kg	Passenger mass
- 150 kg	Optional equipment ordered for the specifically configured vehicle

3. The actual vehicle mass

The 'actual vehicle mass' refers to the mass of the vehicle in running order plus the mass of any optional factory-fitted equipment on a particular vehicle.

4. The mass of the driver and the mass of the passengers

The 'driver mass' is calculated as a fixed weight of 75 kg, regardless of the driver's actual weight. Since the driver mass is already included in the mass in running order, it is not included in the authorised passenger mass.

The 'passenger mass' is based on the permissible number of occupants in running order, as determined by the manufacturer during the type-approval process minus the driver mass, which is calculated as a fixed weight of 75 kg.

For each layout, the permissible number of occupants in running order is shown in the technical data.

The passenger mass is also calculated as a fixed weight of 75 kg per passenger, regardless of their actual weight. For a vehicle with a permissible number of occupants in running order of four, the passenger mass is therefore 225 kg (3x75 kg).

5. Standard equipment and optional equipment

The 'standard equipment' (or 'basic equipment') refers to the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level.

Details of the standard equipment (or 'basic equipment') are provided for the layout you have selected as part of the configuration.

The 'optional equipment' ('packages', 'features', and 'options') refers to all equipment not included in the standard equipment that is factory fitted to the vehicle by the manufacturer and which can be ordered by the customer. Optional equipment in this sense does not include any other accessories that are fitted to the vehicle by you or your retail partner after the manufacturer has delivered the vehicle.

Details of the (equipment) packages, features, and options that can be ordered from the factory are provided for the layout you have selected as part of the configuration.

Please note that the installation of optional equipment always results in a reduction in pay-mass (see point 6.). The maximum optional equipment mass that can be selected for each layout can be found in the information on the respective layouts (see point 7.).

6. The pay-mass and the minimum pay-mass

The 'pay-mass' is calculated by subtracting the mass in running order, the passenger mass and the manufacturer's maximum optional equipment mass from the technically permissible maximum mass.

European legislation stipulates a fixed 'minimum pay-mass' for motorhomes that must be adhered to for luggage and other accessories not installed by the manufacturer. This must not be reduced when configuring your vehicle and is calculated using the following formula:

Minimum pay-mass in kg \geq 10 * (n + L) Where 'n' = maximum number of passengers plus the driver and 'L' = the overall length of the vehicle in metres.

Remaining load capacity (NB: the remaining load capacity must be greater than the minimum pay-mass, see point 6.) = 127 kg

We therefore recommend that you weigh your loaded vehicle prior to every journey and check that you comply with the technically permissible maximum mass. As the driver of the vehicle, you are responsible for checking this.