



YOUR CONFIGURATION (K35DWTS)

**BOXLIFE**

**600 MQ (2025)**

**PLATINUM SELECTION**



## TECHNICAL DATA

### BASIC EQUIPMENT

<input checked="" type="checkbox"/>	Chassis	FIAT
<input checked="" type="checkbox"/>	Engine power	103 kW / 140 PS
<input checked="" type="checkbox"/>	Gearbox	man.
<input checked="" type="checkbox"/>	Vehicle category	CITY
<input checked="" type="checkbox"/>	Total length (cm)	599 cm
<input checked="" type="checkbox"/>	Width (outside) (cm)	205 cm
<input checked="" type="checkbox"/>	Width (inside) (cm)	187 cm
<input checked="" type="checkbox"/>	Height (outside) (cm)	258 cm
<input checked="" type="checkbox"/>	Height (inside) (cm)	190 cm
<input checked="" type="checkbox"/>	Mass in running order (basic model without optional equipment but with basic equipment) (kg)	2.823 kg (2.681 kg - 2.964 kg)
	<small>Note: Incl. indication of production-related tolerances of <math>\pm 5\%</math></small>	
<input checked="" type="checkbox"/>	Effective vehicle mass (basic model with optional and basic equipment) (kg)	2.929 kg
<input checked="" type="checkbox"/>	Technically maximum authorised laden mass (kg)	3.500 kg
<input checked="" type="checkbox"/>	Maximum payload (kg)	221 kg
<input checked="" type="checkbox"/>	Remaining payload (kg)	196 kg
<input checked="" type="checkbox"/>	Towing load (kg)	2.500 kg
<input checked="" type="checkbox"/>	Technically permissible maximum laden mass of the vehicle combination	6.000 kg
<input checked="" type="checkbox"/>	Wheelbase (cm)	403 cm
<input checked="" type="checkbox"/>	Tyre size	-
<input checked="" type="checkbox"/>	Rim size	-
<input checked="" type="checkbox"/>	Beds	3
	<small>Note: Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your KNAUS dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.</small>	
<input checked="" type="checkbox"/>	Max. number of beds	6
	<small>Note: For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your KNAUS dealer will be happy to advise you.</small>	
<input checked="" type="checkbox"/>	Number of persons allowed in driving operation	4
<input checked="" type="checkbox"/>	Automatic three-point belts, height-adjustable	2
<input checked="" type="checkbox"/>	Max. belt-secured seats	4



**Your Configuration:**  
Scan the QR code to load your configuration.  
K35DWTS

PAGE  
1 / 8

**KNAUS**  
FREIHEIT, DIE BEWEGT.



Further Information:  
<https://www.knaus.com/en-uk>



YOUR CONFIGURATION (K35DWTS)

**BOXLIFE**

**600 MQ (2025)**

**PLATINUM SELECTION**



#### BODY

<input checked="" type="checkbox"/>	Total number of hinged windows	6
<input checked="" type="checkbox"/>	Wall thickness, floor (mm)	25 mm

#### LIVING AREA

<input checked="" type="checkbox"/>	Three-point belts in driving direction	2
<input checked="" type="checkbox"/>	Bed size, rear lifting bed with compact bathroom (cm)	192/173 x 142/138
<input checked="" type="checkbox"/>	Bed size, transverse rear lifting bed with optional separate bathroom (cm)	192/173 x 142/138
<input checked="" type="checkbox"/>	Bed size, rear lateral bunk bed underneath with compact bathroom (cm)	184 x 139/134
<input checked="" type="checkbox"/>	Bed size, transverse rear bunk bed underneath with optional separate bathroom (cm)	184 x 139/134
<input checked="" type="checkbox"/>	Bed size, rear longitudinal lifting beds with compact bathroom (cm)	–
<input checked="" type="checkbox"/>	Bed size, rear longitudinal lifting beds with optional separate bathroom (cm)	–
<input checked="" type="checkbox"/>	Bed size, rear longitudinal bunk bed with compact bathroom (cm)	–
<input checked="" type="checkbox"/>	Bed size, rear longitudinal bunk bed with optional separate bathroom (cm)	–
<input checked="" type="checkbox"/>	Bed size, spare bed on semi-dinette and driver's seat (cm)	160 x 60
<input checked="" type="checkbox"/>	Bed size, guest bed optional (cm)	180 x 70
<input checked="" type="checkbox"/>	Bed size, Classic lifting bed (cm)	–
<input checked="" type="checkbox"/>	Bed size, Vario lifting bed (cm)	–

#### WATER

<input checked="" type="checkbox"/>	Waste water volume in liters	90 l
<input checked="" type="checkbox"/>	Fresh water volume in liters	102 l

**Note:**

The fresh water tank capacity referred to schedule V, part A, no. 2.6. footnote (h) VO (EU) 1230/2012 is limited by a overflow valve to 20 ltr. (suggested filling for running order)

The fresh water tank capacity is 102 ltr. with the overflow valve closed.

<input checked="" type="checkbox"/>	Fill level of the fresh water tank (liter)	20
-------------------------------------	--	----

#### KITCHEN

<input checked="" type="checkbox"/>	Refrigerator (ltr.)	90 l
-------------------------------------	---------------------	------

#### ELECTRICAL SUPPLY

<input checked="" type="checkbox"/>	Living area battery	95
<input checked="" type="checkbox"/>	Number of 12 V socket(s)	1
<input checked="" type="checkbox"/>	Number of 230 V socket(s)	2
<input checked="" type="checkbox"/>	Number of USB socket(s)	2



**Your Configuration:**  
Scan the QR code to load your configuration.  
K35DWTS

PAGE  
2 / 8

**KNAUS**  
FREIHEIT, DIE BEWEGT.



Further Information:  
<https://www.knaus.com/en-uk>



YOUR CONFIGURATION (K35DWTS)

**BOXLIFE**

**600 MQ (2025)**

**PLATINUM SELECTION**



## STANDARD EQUIPMENT

### Motorisation / Drive / Gearing / Load increase

- |                                     |        |   |
|-------------------------------------|--------|---|
| <input checked="" type="checkbox"/> | 204372 | FIAT Ducato 3.500 kg***; 2.2 l 140 Multijet; front-wheel drive; Euro 6e (103 kW/140 HP); 6-speed manual gearbox |
|-------------------------------------|--------|---|

### Chassis / Climate Control / Multimedia

- |                                     |           |   |
|-------------------------------------|-----------|---|
| <input checked="" type="checkbox"/> | 202848    | Disk brakes   |
| <input checked="" type="checkbox"/> | 202844    | Left-hand drive   |
| <input checked="" type="checkbox"/> | 203794-01 | Chassis in special paint: Campovolo Grey  |
| <input checked="" type="checkbox"/> | 203720-01 | Spoiler (skid-plate)  |
| <input checked="" type="checkbox"/> | 202139    | Headlights in black frame   |
| <input checked="" type="checkbox"/> | 204384    | Radiator grille cover in body colour, painted   |
| <input checked="" type="checkbox"/> | 201788    | Front bumper painted in chassis colour  |
| <input checked="" type="checkbox"/> | 203808    | All-weather tyres   |
| <input checked="" type="checkbox"/> | 201815    | Alloy rims for standard tyres   |
| <input checked="" type="checkbox"/> | 200176    | Air conditioning in cab, manual including pollen filter and outside temperature display |
| <input checked="" type="checkbox"/> | 201862    | Driver airbag   |
| <input checked="" type="checkbox"/> | 200501    | Passenger airbag  |
| <input checked="" type="checkbox"/> | 201952-01 | Driver's seat height adjustment   |
| <input checked="" type="checkbox"/> | 201952    | Passenger's seat height adjustment  |
| <input checked="" type="checkbox"/> | 201519    | Steering wheel and gear knob in leather   |
| <input checked="" type="checkbox"/> | 203730    | Instrument panel in Techno design (aluminium)   |
| <input checked="" type="checkbox"/> | 222884    | Cupholder in centre console   |
| <input checked="" type="checkbox"/> | 200975-01 | Original FIAT Captainchair seats with armrests  |
| <input checked="" type="checkbox"/> | 204386    | Storage tray under the driver's seat  |
| <input checked="" type="checkbox"/> | 200633    | Cab seats swivelling  |
| <input checked="" type="checkbox"/> | 201074    | Floor mat set in driver's cab in KNAUS design   |
| <input checked="" type="checkbox"/> | 202133    | Seat box cladding for cab seats   |
| <input checked="" type="checkbox"/> | 550610    | Front and side window blackout  |
| <input checked="" type="checkbox"/> | 200567    | Tempomat ® - Cruise Control   |
| <input checked="" type="checkbox"/> | 202871    | ESP   |



Your Configuration:  
Scan the QR code to load your configuration.  
K35DWTS

PAGE  
3 / 8

**KNAUS**  
FREIHEIT, DIE BEWEGT.



Further Information:  
<https://www.knaus.com/en-uk>



YOUR CONFIGURATION (K35DWTS)

**BOXLIFE**

**600 MQ (2025)**

**PLATINUM SELECTION**



<input checked="" type="checkbox"/>	202872	Hill Holder (Hill Start Assist)
<input checked="" type="checkbox"/>	202873	ABS
<input checked="" type="checkbox"/>	202874	Electronic immobiliser
<input checked="" type="checkbox"/>	202876	Electromechanical power steering
<input checked="" type="checkbox"/>	203755	Trailer Stability Control System
<input checked="" type="checkbox"/>	203756	Post Collision Braking System
<input checked="" type="checkbox"/>	222881	Crosswind Assist
<input checked="" type="checkbox"/>	201787	"Traction Plus" traction aid, including Hill Descent Assist
<input checked="" type="checkbox"/>	200178-01	Front fog lights with cornering light
<input checked="" type="checkbox"/>	204265	Fix&Go Tire Repair Kit
<input checked="" type="checkbox"/>	204388	Fuel tank 60 litres
<input checked="" type="checkbox"/>	202891	Car key with remote control for central locking for cab doors
<input checked="" type="checkbox"/>	202892-02	Power windows (driver's and passenger's door)
<input checked="" type="checkbox"/>	200488	Electrically adjustable and heated exterior mirrors
<input checked="" type="checkbox"/>	203723	Full LED front lighting (low beam, high beam and indicators)
<input checked="" type="checkbox"/>	252161	Reading spots in cab
<input checked="" type="checkbox"/>	250599	Radio preparation incl. 2 loudspeakers in living area
<input checked="" type="checkbox"/>	204389	Preparation for multimedia
<input checked="" type="checkbox"/>	252143	All-in-one navigation system
<input checked="" type="checkbox"/>	251793	Rear view camera incl. wiring
<input checked="" type="checkbox"/>	252715	Head-up display
<b>Doors</b>		
<input checked="" type="checkbox"/>	102064	Insect screen door
<input checked="" type="checkbox"/>	101080	Electrical entry step, 70 cm wide
<input checked="" type="checkbox"/>	102910	Sliding door with manual closing aid
<b>Service hatches / Garage doors</b>		
<input checked="" type="checkbox"/>	102915-05	KNAUS Technology module with supply installations
<input checked="" type="checkbox"/>	102914-08	Gas locker for gas bottle reserves 1 x 2.7 kg



Your Configuration:  
Scan the QR code to load your configuration.  
K35DWTS

PAGE  
4 / 8

**KNAUS**  
FREIHEIT, DIE BEWEGT.



Further Information:  
<https://www.knaus.com/en-uk>



YOUR CONFIGURATION (K35DWTS)

**BOXLIFE**

**600 MQ (2025)**

**PLATINUM SELECTION**



#### Windows / Roof Hoods / Ventilation

- |                                     |           |   |
|-------------------------------------|-----------|---|
| <input checked="" type="checkbox"/> | 102919    | Comfort roller blind system   |
| <input checked="" type="checkbox"/> | 102918    | Windows with safety lock  |
| <input checked="" type="checkbox"/> | 102323    | Frame window SEITZ S7P  |
| <input checked="" type="checkbox"/> | 100750-01 | Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout (bow)  |
| <input checked="" type="checkbox"/> | 102619-03 | Roof hood 40 x 40 cm with insect screen and blackout, clear (rear)      |
| <input checked="" type="checkbox"/> | 101981-03 | SEITZ frame window SEITZ S7P 80 x 40 cm, rear left                      |
| <input checked="" type="checkbox"/> | 102922    | Frame windows for rear doors  |
| <input checked="" type="checkbox"/> | 101666-01 | Hinged window 28 x 30 cm with insect screen and blackout, (toilet room) |
| <input checked="" type="checkbox"/> | 102920-03 | Mushroom fan (toilet room)  |

#### Materials / Vehicle Graphics

- |                                     |           |  |
|-------------------------------------|-----------|--|
| <input checked="" type="checkbox"/> | 102928-03 | Floor plate in sandwich construction                       |
| <input checked="" type="checkbox"/> | 102927-08 | Breathable soft-touch side wall cladding                   |
| <input checked="" type="checkbox"/> | 102928-10 | Temperature-controlled intermediate floor in seating group |
| <input checked="" type="checkbox"/> | 103551-33 | Special foil graphics "60 YEARS"                           |
| <input checked="" type="checkbox"/> | 103760    | KNAUS emblems front and rear, black/chrome                 |

#### Lighting / Technology

- |                                     |        |  |
|-------------------------------------|--------|--|
| <input checked="" type="checkbox"/> | 102497 | Gutter above sliding door with dimmable LED lighting |
|-------------------------------------|--------|--|

#### Furniture / Surfaces

- |                                     |           |  |
|-------------------------------------|-----------|--|
| <input checked="" type="checkbox"/> | 552940-10 | Furniture decor: Matara Teak   |
| <input checked="" type="checkbox"/> | 552941-07 | Furniture construction in full carcass design with dowelling technology          |
| <input checked="" type="checkbox"/> | 552941-01 | Vertical furniture surfaces with ABS coating                                     |
| <input checked="" type="checkbox"/> | 552943-01 | Kitchen worktop and table in seating group in CPL (laminate)                     |
| <input checked="" type="checkbox"/> | 552941-27 | Aluminium / rod profile with round edges   |
| <input checked="" type="checkbox"/> | 552941-22 | Furniture hinges with spring reinforcement                                       |
| <input checked="" type="checkbox"/> | 552941-13 | Drawers, hatches and doors flushy fitted in furniture body                       |
| <input checked="" type="checkbox"/> | 552941-14 | Kitchen drawers with soft-close function and ball bearing mounted full extension |
| <input checked="" type="checkbox"/> | 552941-11 | Ceiling cabinet hatch with handles, rocker arms and soft-close function          |

#### Living / Sleeping / Upholstery and Fabrics

- |                                     |        |  |
|-------------------------------------|--------|--|
| <input checked="" type="checkbox"/> | 554391 | One-piece back cushion for dinette bench and large table |
|-------------------------------------|--------|--|



Your Configuration:  
Scan the QR code to load your configuration.  
K35DWTS

PAGE  
5 / 8

**KNAUS**  
FREIHEIT, DIE BEWEGT.



Further Information:  
<https://www.knaus.com/en-uk>



YOUR CONFIGURATION (K35DWTS)

**BOXLIFE**

**600 MQ (2025)**

**PLATINUM SELECTION**



<input checked="" type="checkbox"/>	552348-01	Dinette seat extension through side pull-out (also while driving)
<input checked="" type="checkbox"/>	552960-09	Comfort function for dinette seating group
<input checked="" type="checkbox"/>	552130-01	Floating dinette table, swivelling
<input checked="" type="checkbox"/>	552247	ISOFIX system (2 child seats)
<input checked="" type="checkbox"/>	552945-07	2-layer cold foam mattresses with breathable and durable mattress cover
<input checked="" type="checkbox"/>	552949-01	Rear lifting bed with slatted frame
<input checked="" type="checkbox"/>	552955-03	Conversion of seating group to guest bed
		<b>Note:</b> The emergency bed function should only be used in exceptional cases. As an additional sleeping place in the seating group, we recommend the option "transverse guest bed with additional cushion".
<input checked="" type="checkbox"/>	554392	Mattress topper
<input checked="" type="checkbox"/>	554397	Upholstery: Vegan Leather alternative "NATURAL STONE" "PLATINUM SELECTION"

**Kitchen / Bathroom**

<input checked="" type="checkbox"/>	402985-06	Cooker-sink combination incl. 2-burner cooker with electric ignition and divided glass cover
<input checked="" type="checkbox"/>	303501	Gas control units centrally arranged
<input checked="" type="checkbox"/>	402996	Kitchen worktop with foldable extension
<input checked="" type="checkbox"/>	402987	Compressor refrigerator 90 ltr. (incl. 7.5 ltr. freezer compartment), with night and silent mode
<input checked="" type="checkbox"/>	453504	WC disposal tunnel with full cladding
<input checked="" type="checkbox"/>	453505-02	Toilet / shower room with washstand, cassette toilet, sliding mirror and storage compartments
<input checked="" type="checkbox"/>	453505-20	Compact bathroom with innovative shower curtain (with air ring): Shower tray with at least 2 drains
<input checked="" type="checkbox"/>	453503-04	Cassette toilet Thetford swivelling

**Heating / Air conditioning / Gas Supply / Water Supply**

<input checked="" type="checkbox"/>	302975	Gas hose version CH/FR
<input checked="" type="checkbox"/>	302979	Gas regulator version CH/FR
<input checked="" type="checkbox"/>	351231	Diesel heating TRUMA Combi 6 D
<input checked="" type="checkbox"/>	352059	TRUMA CP-Plus digital heating control panel
<input checked="" type="checkbox"/>	450740	Insulating hood waste water tank, heatable
<input checked="" type="checkbox"/>	453510-01	Water supply with submerged pump
<input checked="" type="checkbox"/>	453510-03	Hot water supply with single-lever mixer tap
<input checked="" type="checkbox"/>	453510-06	Water pipes laid with circulating air hose
<input checked="" type="checkbox"/>	452718-01	"bluuwater" water filter system



**Your Configuration:**  
Scan the QR code to load your configuration.  
K35DWTS





YOUR CONFIGURATION (K35DWTS)

**BOXLIFE**

**600 MQ (2025)**

**PLATINUM SELECTION**



**Electronics / Multimedia / Safety**

<input checked="" type="checkbox"/>	253533	Electr. automatic charger for body / vehicle battery
<input checked="" type="checkbox"/>	253522	CEE external socket for 230 V, with circuit breaker
<input checked="" type="checkbox"/>	253529	Ground fault circuit interrupter
<input checked="" type="checkbox"/>	253526-05	Bord-Control panel with digital display for power/water/waste water/battery
<input checked="" type="checkbox"/>	253534-04	LED lighting living area (exception: entrance light + luggage compartment)
<input checked="" type="checkbox"/>	252723	Charging booster for body battery
<input checked="" type="checkbox"/>	232667-01	Charger with 25A charging capacity, suitable for lithium batteries
<input checked="" type="checkbox"/>	252615	Lighting control
<input checked="" type="checkbox"/>	253518	230 V SCHUKO sockets "France" version
<input checked="" type="checkbox"/>	251948	Pre-cabling for solar and satellite systems

**Awning / Awning Accessories**

<input checked="" type="checkbox"/>	501646-03	Awning 375 x 250 cm, anthracite
		<b>Note:</b> Awning size differs for technical reasons when choosing the pop-up roof

**Miscellaneous**

<input checked="" type="checkbox"/>	953542-04	Operating instruction (French)
-------------------------------------	-----------	--------------------------------

**Accessories**

<input checked="" type="checkbox"/>	953543	10-year leak-proofness guarantee
<input checked="" type="checkbox"/>	952823	MediKit voucher
		<b>Note:</b> A voucher to redeem the medicine set is enclosed with the vehicle. The medicine set contains medicines that must be purchased from a pharmacy. The voucher can therefore only be redeemed at the responsible MediKit mail-order pharmacy at <a href="http://www.meditkit.shop">www.meditkit.shop</a> . You can also obtain further information about your MediKit at <a href="http://www.meditkit.shop">www.meditkit.shop</a> .
<input checked="" type="checkbox"/>	954273	Soap and washing-up liquid dispenser

**YOUR SELECTED OPTIONAL EQUIPMENT**

			Weight	Price
<b>Motorisation / Drive / Gearing / Load increase</b>				
<input checked="" type="checkbox"/>	204383	8-speed automatic gearbox	+35 kg	3.720 €
	202132	16" tyres	+10 kg	
	204487	verstärkte Achsen und Bremsanlage	+25 kg	



**Your Configuration:**  
Scan the QR code to load your configuration.  
K35DWTS





YOUR CONFIGURATION (K35DWTS)

**BOXLIFE**

**600 MQ (2025)**

**PLATINUM SELECTION**



### SUMMARY OF YOUR TOTAL COST

	Weight	Price
<input checked="" type="checkbox"/> Total Price & Weight of Standard Equipment	2.904 kg	67.877 €
<input checked="" type="checkbox"/> Total Price & Weight of Selected Optional Equipment	25 kg	3.720 €
<b>Total Price &amp; Weight of Your Configuration</b>	<b>2.929 kg</b>	<b>71.597 €</b> <small>incl. 20% sales tax.</small>



**Your Configuration:**  
Scan the QR code to load your configuration.  
K35DWTS

PAGE  
8 / 8

**KNAUS**  
FREIHEIT, DIE BEWEGT.



Further Information:  
<https://www.knaus.com/en-uk>



## **Important technical and legal information regarding vehicle configuration and weight-related data**

In road traffic, each vehicle is only approved for a certain maximum weight. This maximum weight must not be exceeded during operation. Therefore, particular attention must be paid to the technical and legal requirements for the weight of your vehicle when configuring and selecting optional equipment ('packages', 'features' and 'options') from our factory-fitted range when configuring your vehicle.

The EU Commission's Implementing Regulation (EU) 2021/535 dated 31 March 2021 (up to and including 06/2022; EU Commission Regulation (EU) No. 1230/2012 dated 12 December 2012) sets out the legal requirements for the weight of your vehicle. In order to provide information that is as transparent and comprehensive as possible about the weight-related data specified in the configurator, the following explanations and information provided by Knaus Tabbert AG are based on the requirements of this Regulation. Please read the following explanations and information regarding weight-related data carefully before configuring and ordering your vehicle. Our retail partners will also be happy to help you select and configure your vehicle.

### **1. The technically permissible maximum mass of the vehicle**

The 'technically permissible maximum mass' of the vehicle is shown in Part I of the registration certificate (under point F.1.) and refers to the maximum mass that your vehicle may weigh when loaded (e.g. 3,500 kg) as specified by the manufacturer. This may not be exceeded during any journey. Exceeding the technically permissible maximum mass during operation is punishable by fines in many European countries. In Germany, exceeding the technically permissible maximum mass during operation can constitute an administrative offence punishable by a fine. We therefore recommend that you weigh your vehicle prior to every journey and check that it complies with the technically permissible maximum mass. Compliance with the technically permissible maximum mass is your responsibility.

The technically permissible maximum mass for each layout is shown in the technical data.

### **2. The mass of the vehicle in running order**

The 'mass in running order' refers to the mass of the vehicle including the body and standard factory equipment (or 'basic equipment') including the standard fuel tank filled to 90% of its capacity, as well as operating fluids such as lubricants, oils and coolants, tools and puncture repair kit, plus the driver mass, which is calculated as a fixed weight of 75 kg by law.

For each layout, the mass in running order is shown in the technical data.

The following items are included in the mass in running order:

- the unladen weight of the vehicle, including the body and operating fluids such as lubricants, oils and coolants, tools and puncture repair kit;
- the standard factory equipment, i.e. the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level;
- 100% filled fresh water tank; in running order (the capacity of the fresh water tank is limited to 10, 20 or 40 litres in running order depending on the vehicle model) and a 100% filled aluminium gas cylinder weighing 16 kg;
- the 90% filled standard fuel tank including fuel;
- the driver, whose weight is calculated as a fixed 75 kg.

Please note that the mass in running order specified in the technical data is a calculated nominal value that is subject to production-related tolerances of up to  $\pm 5\%$ . These legally permissible tolerances can have a direct impact on the actual mass of your vehicle and therefore also the load capacity or remaining pay-mass. So you should always take these tolerances into account when configuring your vehicle.

### **7. The maximum optional equipment mass**

To ensure compliance with the legally prescribed minimum pay-mass, the 'maximum optional equipment mass' is specified by the manufacturer for each layout. This is the mass available for selecting optional factory-fitted equipment ('packages', 'features' and 'options') while complying with the minimum pay-mass required by law.

Knaus Tabbert AG calculates the maximum optional equipment mass by subtracting the mass in running order, the passenger mass and the minimum pay-mass from the technically permissible maximum mass.

However, the mass in running order is a calculated nominal value that may be subject to production-related tolerances of up to  $\pm 5\%$  (see point 2.). The occurrence of these production-related tolerances could result in the minimum pay-mass not actually being observed if the calculated optional equipment mass is used.

To prevent such a reduction in the minimum pay-mass, Knaus Tabbert AG therefore takes account of the permissible weight deviations that experience has shown may occur for each layout when determining the maximum optional equipment mass.

In addition, equipment features of national variants/special models that are not part of the standard equipment are also taken into account when calculating the maximum optional equipment mass.

If due to the selection of optional equipment, the maximum optional equipment mass is exceeded, you can generally (depending on the layout) select an increase in vehicle load capacity, reduce the permitted number of seats when driving and/or deselect optional equipment in the configurator in order to continue with the configuration. If you fail to do this, the configuration and therefore the order process for your vehicle cannot be continued.

### **8. Legally permissible tolerances in the calculation of weight data**

The mass in running order figures given in the technical data are calculated nominal values that are subject to production-related tolerances of up to  $\pm 5\%$ . These production-related tolerances of up to  $\pm 5\%$  are legally permissible and result from the use of natural materials such as wood, as well as the manufacturing processes used by some suppliers. Despite optimised production processes, weight fluctuations resulting from the materials used cannot be ruled out. As these legally permissible tolerances have a direct impact on the actual mass of your vehicle and therefore also the possible vehicle load capacity or remaining pay-mass, you should always take these into account when configuring your vehicle.

*Example:*

Mass in running order according to technical data:	2,968 kg
Legally permissible tolerance of $\pm 5\%$ :	148 kg
Legally permissible range of mass in running order	2,820 to 3,116 kg

Based on the above example, if you order the vehicle with optional equipment with a total weight of 150 kg, the nominal value of the mass in running order shown in the technical data results in a pay-mass of 180 kg. However, the actual load capacity may deviate from this value because of the legally permissible tolerances. If the mass in running order of your vehicle is about 1% higher than the nominal value stated in the technical data, the load capacity is reduced from 180 kg to 151 kg:

*Example:*

3,500 kg	Technically permissible maximum mass
- 2,998 kg	Actual weight of the vehicle in running order (+ 1% compared to the mass in running order of 2,968 kg stated in the technical data)
- 3x75 kg	Passenger mass
- 150 kg	Optional equipment ordered for the specifically configured vehicle

### **3. The actual vehicle mass**

The 'actual vehicle mass' refers to the mass of the vehicle in running order plus the mass of any optional factory-fitted equipment on a particular vehicle.

### **4. The mass of the driver and the mass of the passengers**

The 'driver mass' is calculated as a fixed weight of 75 kg, regardless of the driver's actual weight. Since the driver mass is already included in the mass in running order, it is not included in the authorised passenger mass.

The 'passenger mass' is based on the permissible number of occupants in running order, as determined by the manufacturer during the type-approval process minus the driver mass, which is calculated as a fixed weight of 75 kg.

For each layout, the permissible number of occupants in running order is shown in the technical data.

The passenger mass is also calculated as a fixed weight of 75 kg per passenger, regardless of their actual weight. For a vehicle with a permissible number of occupants in running order of four, the passenger mass is therefore 225 kg (3x75 kg).

### **5. Standard equipment and optional equipment**

The 'standard equipment' (or 'basic equipment') refers to the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level.

Details of the standard equipment (or 'basic equipment') are provided for the layout you have selected as part of the configuration.

The 'optional equipment' ('packages', 'features', and 'options') refers to all equipment not included in the standard equipment that is factory fitted to the vehicle by the manufacturer and which can be ordered by the customer. Optional equipment in this sense does not include any other accessories that are fitted to the vehicle by you or your retail partner after the manufacturer has delivered the vehicle.

Details of the (equipment) packages, features, and options that can be ordered from the factory are provided for the layout you have selected as part of the configuration.

Please note that the installation of optional equipment always results in a reduction in pay-mass (see point 6.). The maximum optional equipment mass that can be selected for each layout can be found in the information on the respective layouts (see point 7.).

### **6. The pay-mass and the minimum pay-mass**

The 'pay-mass' is calculated by subtracting the mass in running order, the passenger mass and the manufacturer's maximum optional equipment mass from the technically permissible maximum mass.

European legislation stipulates a fixed 'minimum pay-mass' for motorhomes that must be adhered to for luggage and other accessories not installed by the manufacturer. This must not be reduced when configuring your vehicle and is calculated using the following formula:

Minimum pay-mass in kg  $\geq 10 * (n + L)$   
Where 'n' = maximum number of passengers plus the driver and 'L' = the overall length of the vehicle in metres.

= 127 kg      Remaining load capacity (NB: the remaining load capacity must be greater than the minimum pay-mass, see point 6.)

We therefore recommend that you weigh your loaded vehicle prior to every journey and check that you comply with the technically permissible maximum mass. As the driver of the vehicle, you are responsible for checking this.